



Project 145409
Lab # 208514
Date Rec'd 7/2/2026
Report Issued 7/13/2026

Compound Semax

Label Claim 10 mg

Batch/Lot

Certificate of Analysis

<u>Analyte</u>	<u>Result</u>	<u>Units</u>	<u>LOQ</u>	<u>% of Label</u>	<u>Method</u>	<u>Date</u>	<u>CAS</u>
Peptide Analysis							
Chromatographic purity	99.4	%	1		HPLC-UV/MS	7/10/2026	
Semax	11.2	mg	.1	111.6	HPLC-UV-MS	7/10/2026	80714-61-0
Mass Spectral Match	ID Confirmed				HPLC-UV-MS	7/10/2026	


The data presented are solely from the analysis of the sample shown and meet
 Krause Analytical internal quality assurance criteria unless otherwise flagged.
 Data is solely for the use of the recipient as shown. No other use is authorized.
 Methods shown reference current Krause Analytical SOPs
 ND - Not detected LOQ - limit of quantification
 Copyright © 2026 Krause Analytical LLC. All rights reserved.

Respectfully submitted,

Mark C. Krause
 Laboratory Director

8127 Mesa Drive Suite B-206 Austin, TX 78759

CHROMATOGRAM



Sample Report:

1: (Time: 0.33) Combine (15:21-42:45)

1:MS ES+
4.7e+007